

ISLAND PACKET 380

SPECIFICATION AND PRICE LIST
 YACHT CONSTRUCTION
 CE CERTIFIED CATEGORY A-OCEAN

Rig / Sails / Hardware

- ★ Sails: Roller furling main for standard in-mast system, 110% roller furling high clew jib, roller furling staysail - high modulus Dacron
- ★ Genoa and staysail sun panels in choice of Sunbrella® colors
- ★ Genoa gear, including tracks, blocks, sheets and Harken® furling system
- ★ Staysail gear, including blocks, halyard, Lewmar® Ocean Series 8C staysail sheet winch, Harken® furling system and Hoyt self vanging boom
- ★ Staysail halyard winch on mast - Lewmar® Ocean Series 8C
- ★ Jib halyard winch on mast, Lewmar® Ocean Series 24C 2-speed
- ★ Mainsail gear, including halyard on mast led to Lewmar 24C winch; main sheet traveler w/4:1 control system led to cockpit; roller furling lines, sheet, and spare main halyard led to cockpit through stoppers to Lewmar 30CST winches
- ★ Spare main halyard (on Delrin bearing masthead sheave) led to cockpit through stopper to Lewmar® Ocean Series 30 CST winch
- ★ All halyards internal; color coded running rigging, convenient coaming storage bins for lines
- ★ Boom vang package
- ★ Winch handle -10" lock-in chrome - Lewmar "PowerGrip®"
- ★ Jib sheet winches (2) Lewmar® Ocean Series 48 CST 2-speed
- ★ Mid-boom sheeting for unobstructed cockpit & dodger installations
- ★ Wheel steering - console mounted Whitlock "Premier XL" rack & pinion direct system w/"Monarch" style hood for electronics installation, wheel brake, stainless steel wheel. Provision for remote auto pilot installation. Guard, engine control, hinged table. Emergency tiller with storage brackets
- ★ Compass, Ritchie® with custom Island Packet nav grid
- ★ Welded stainless steel double bow rail & stern rail, stanchions, stern rail with twin seats, stainless steel flag staff and holder
- ★ Double lifelines w/side gates, full length stainless steel cabin top hand rails
- ★ Teak step pads at lifeline gates with furling line hold down recess
- ★ Hinged padeyes (4) for cockpit harness attachment
- ★ Stern gate w/quick release hook
- ★ Swim ladder (stainless steel transom mount) w/rubber treads
- ★ Two SeaSafe™ patented stainless steel anchor rollers w/chocks and hinged deck pipes to forepeak, mirror polished finish
- ★ Four 12" mooring cleats, two 10" spring line cleats, chocks & flush mount stainless steel chafe guards
- ★ Twin backstays for easy stern boarding & unobstructed helm seating
- ★ Topping lift-adjustable
- ★ Keel stepped mast, all anodized spars

Interior

- ★ Eleven opening ports w/screens - polished stainless steel, safety glass
- ★ Five deck hatches: forward cabin, saloon, head, aft cabin, galley-Lewmar® (acrylic & aluminum)
- ★ Three deck ventilators (Dorade type) w/screens
- ★ Large forepeak w/louvered access doors & overhead deck pipes, light, drain to bilge, Starboard® shelf to direct rode aft; center divider w/attachment for rodes
- ★ Forward cabin w/privacy doors to saloon & head compartment. Large double centerline island berth w/full length teak shelves outboard, large stowage lockers under. Aft end of bunk lifts on gas assisted support struts to reveal large blanket tray. Generous cedar lined hanging locker w/shelf over, two bureaus w/shelves over, drawers under berth. Three opening ports plus overhead hatch, deck vent, varnished teak & holly sole
- ★ Forward head w/teak trim, large vanity with linen cabinet, mirror, polished stainless steel sink, hot/cold pressure water w/shower. Fold away acrylic shower doors enclose separate shower area; electric drain pump. Fold down teak shower seat, storage cabinets, opening port & large overhead hatch, toothbrush holder w/cup, toilet paper holder, integral recessed lighting, full length mirror
- ★ Main saloon w/pull-out double settee berth to port, single settee berth to starboard, teak cabinets & book shelves outboard of both settees. Large stowage areas behind & under each settee. Cedar lined hanging locker w/shelf over. Deluxe drop leaf table folds against bulkhead rack (w/bottle stowage) for unobstructed 4' wide varnished teak & holly sole. Large overhead hatch, numerous opening ports, deck vents & overhead handrails

(continued)

- ★ Navigation station w/table and tray storage under, drawer, nav light, generous nav/electronics cabinet w/master A-C/D-C electrical panels plus room for variety of owner installed equipment
- ★ Chart stowage drawer beneath settee
- ★ Aft cabin w/privacy door to main cabin. Large athwartship double berth w/full length teak shelf outboard, integral overhead reading lights, stowage lockers under. Slide out vanity sink w/hot and cold pressure water, drain. Generous cedar lined hanging locker w/shelf over, bureau w/shelf over, full length mirror, two opening ports plus overhead hatch, varnished teak & holly sole
- ★ Courtesy/night lights with switch by companionway
- ★ All interior cushions of upholstery grade dual density foam covered in choice of premium designer fabrics
- ★ Removable teak companionway ladder w/engine access from all sides
- ★ Storage rack for companionway drop boards under nav table
- ★ Molded slip resistant cabin sole adjacent to companionway, galley & nav station, w/draining grate in front of ladder. Teak grate lifts out for dust pan, dust pan lifts for bilge sump access with light
- ★ Teak bulkheads, cabinetry, trim - select grain w/furniture quality satin varnish finish throughout
- ★ Teak louvered cabin & locker doors - deluxe trim; push button safety latches on locker doors
- ★ Molded fiberglass interior headliner w/textured finish, teak trim
- ★ Teak & holly sole in main saloon, forward & aft cabins - varnish finish

Galley

- ★ Large wrap-around design w/high pressure laminate surfaces, teak sea rails on all edges, flip up counter extension
- ★ Ice box - top loading, injected froth type urethane insulation throughout, insulated divider, electric drain pump, inside light w/manual switch, hinged, gasketed lid w/support strut. Prewired and engineered for refrigeration/freezer system (or ice)
- ★ Gimbaled three burner Force 10® LPG stove w/oven - stainless steel deluxe safety type, sealed burner top, lift off cover w/storage rack below, stainless steel guard rail w/harness hooks. Pot and pan locker under
- ★ Double stainless steel sink with deluxe polished finish, hot & cold pressure water tap, manual pump, retractable spray unit
- ★ Roll-away trash bin, teak paper towel holder, towel rack & soap rack
- ★ Deluxe teak dish rack & cutlery drawers
- ★ Large storage areas above & below counter, storage drawer, cabinet, dry storage locker, large drawer beneath ice box
- ★ Cockpit instrument access cabinet
- ★ Microwave oven - 115V A-C

Exterior/ Construction

- ★ 100% hand laid high modulus fiberglass construction throughout with special gelcoats for durability. All gelcoats applied using premium high volume, low pressure application equipment for exceptional finish quality, reduced airborne emissions
- ★ Island Packet's exclusive PolyClad® 2 hull bottom gelcoat system with 10 year limited warranty for osmotic blisters
- ★ Hull molded in one piece utilizing a proprietary pressure fed application system w/high modulus triaxial glass, unified w/an engineered interior grid structure and structural molded base unit
- ★ Deck laminate cored w/advanced PolyCore® - a proprietary microsphere & resin matrix with 10 year limited warranty for rot and delamination (an industry first)
- ★ Exclusive Durashield™ deck, hull topside and interior gelcoat system with superior gloss retention and resistance to fading and crazing
- ★ Deck attached to integrally molded hull flange w/bolts, lock nuts, & urethane adhesive sealant
- ★ Deck hardware thru-bolted w/aluminum backup plates
- ★ Two-tone deck - low-glare light ivory with integrally molded light tan slip resistant surface (premium coarse diamond pattern)
- ★ Light ivory hull with matching co-extruded, hi-impact vinyl rubrail, s.s. striker, choice of boot stripe color (urethane finish)
- ★ Combination teak rub/cap rail w/stainless steel striker, teak cap on bowsprit
- ★ Deluxe helm console with hinged table, guard/handgrip, compass, single lever engine control, space for dealer/owner installed electronics
- ★ Contoured cockpit seats over 7 feet long, coaming storage boxes and bins, seat hatches with push button latches, locks, and support struts, molded helm seat with cushion and backrest
- ★ Molded fiberglass sliding companionway hatch and sea hood with integral electronics pod pre-wired for dealer/owner installed nav instruments. Latch inside, exterior hasp and lock
- ★ Integral molded dodger mount on cabin top
- ★ Companionway drop boards of solid teak, center drop board fitted with fixed port with etched logo (safety glass), captive safety lock-in pin with holder, interior storage rack
- ★ All exterior teak treated with Sikkens premium Cetol® teak finish
- ★ Two 2" cockpit scuppers
- ★ Cockpit ice box - foam insulation, hinged lid
- ★ Fresh water cockpit shower/wash down (cold only)
- ★ LPG deck storage bin with 10 lb. aluminum propane tank (plus room for spare), drain overboard

Mechanical / Electrical / Plumbing

- ★ 56 HP Yanmar® 4JH3BE diesel - four cylinder fresh water cooled, rubber isolation mounts on reinforced fiberglass bed with integral oil drip pan, mechanical fuel pump, fuel filter, Balmar® 110 amp twin fan alternator with digital echo-charger, 3 blade prop
- ★ Racor® fuel filter with water separator, jacketed fuel lines w/swedged ends, auxiliary electric fuel pump w/momentary switch for servicing
- ★ Extensive sound control in engine compartment: gasketed access cover and doors, premium lead lined foam insulation
- ★ Engine and head intake strainer - bronze
- ★ Recessed cockpit instrument panel w/electric tachometer, engine monitoring & warning system, hourmeter - removable acrylic cover. Additional recess with cover for owner/dealer installed equipment
- ★ Single lever engine control mounted on pedestal
- ★ 4 premium AGM (absorbed glass mat) sealed 12 volt house batteries, 1 premium AGM dedicated engine start battery (all Group 27) w/momentary parallel switch at engine control to house bank for emergency starting. Stainless steel hold down bar
- ★ Deluxe electric panels w/battery switch, circuit breakers for D-C & A-C systems, D-C & A-C gauges, battery test system, reverse polarity protection, indicator lights, elec. pump controls, LPG control, battery charger control
- ★ A-C 30 amp dockside power system w/inlet breaker polarity protection, 50' shore power cord, numerous interior outlets w/GFCI protection, interior breaker, ProMariner® galvanic isolator w/remote status monitor. Pre-wired for second 30 amp service
- ★ Marine converter/battery charger - Charles® 5000 series 40 amp, UL approved, temperature compensating, three step electronic charger
- ★ Numerous 12V interior lamps and (3) courtesy lamps with rocker switch at companionway; dome lights in cockpit lockers, fore-peak, ice box, engine room, bilge
- ★ Water heater - 11 gallon marine type w/engine heat exchanger & A-C operation, UL approved, foam jacketed hoses
- ★ Pressure water system w/hot & cold water tap in galley, head, and aft cabin, shower in head, cockpit (cold only)
- ★ Manual water pump in galley
- ★ LPG stove system w/10 lb. aluminum tank (in draining deck storage well), remote solenoid safety shutoff, gauge
- ★ Marine head (Raritan®), with large seat and bowl, triple walled sanitation hose, direct overboard discharge or bypass valve into holding tank
- ★ 40 gallon (U.S.) welded marine aluminum holding tank w/sealed interior, deck pump out fitting with integral opening lever
- ★ 170 gallon (U.S.) welded marine aluminum fresh water tank, stainless steel deck fill with integral opening lever, tank mounted gauge
- ★ 85 gallon (U.S.) welded marine aluminum fuel tank w/shut off valve, stainless steel deck fill with integral opening lever, tank mounted gauge, preplumbed for additional pick up/return
- ★ Fuel, water and holding tank below cabin sole maximizing storage space & minimizing trim changes
- ★ Electric bilge pump w/auto switch, premium Ultimate® magnetic reed float switch
- ★ Manual bilge pump - 1 1/2" hose. Mounted in cockpit near helm
- ★ Shower drain pump - electric
- ★ Ice box drain pump - electric
- ★ U.L. approved bronze thru-bolted flanged seacocks on all thru-hulls below waterline; ball valves on all thru-hulls in boot stripe
- ★ Electrical D-C grounding system for rig and underwater metals
- ★ U.L. approved marine, pretinned, 600V color coded wiring throughout
- ★ Foredeck light mast mounted at spreaders
- ★ Masthead anchor light, nav lights
- ★ Pre-wired: anchor windlass power supply and remote control wires; VHF antenna cable in mast & interior; fan and speaker wires throughout interior; refrigeration wire; sea hood instrument pod
- ★ Messenger pre-run for cabin back mounted electronics

EXCLUSIVE "3/10" LIMITED WARRANTY

ISLAND PACKET YACHTS

1979 WILD ACRES ROAD LARGO, FLORIDA USA

PHONE (727) 535-6431

FAX (727) 530-5806

TOLL FREE (800) 828-5678



ISLAND PACKET 380

PRICING AND OPTION LIST / ORDER FORM

DEALER/OWNER _____ / _____ DATE _____

BOOT STRIPE COLOR _____ CANVAS COLOR _____

INTERIOR FABRIC SELECTION: _____

	Retail Price
<input checked="" type="checkbox"/> Island Packet 380	\$268,950
<input checked="" type="checkbox"/> Freight to Dealer (contiguous U.S. only)	No Charge
<input checked="" type="checkbox"/> PolyClad™2 Extended 10 Year Limited Warranty for osmotic blisters	No Charge
<input checked="" type="checkbox"/> PolyCore™ Extended 10 Year Limited Warranty for deck core degradation and delamination	No Charge
<input checked="" type="checkbox"/> Prewire for anchor windlass	No Charge
<input checked="" type="checkbox"/> Rubrail - coextruded hi-impact vinyl molded in hull color - w/s.s. striker	No Charge
<input checked="" type="checkbox"/> Roller furling mast with spare halyard	No Charge
<input type="checkbox"/> Non-furling mast with fully battened mainsail (in lieu of standard)	995
<input type="checkbox"/> Cockpit cushions (4 pc) 2" closed cell foam with Textalene® covers	750
<input type="checkbox"/> Leather wheel cover (installed)	195
<input type="checkbox"/> Electric macerator pump w/valves for overboard discharge of holding tank	895
<input type="checkbox"/> Stainless steel dorade style cowls (3) with s.s. guards (in lieu of standard)	995
<input type="checkbox"/> Ultraleather™ fabric in main saloon only (in lieu of standard) Color: _____	995

DEALER